

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2601	(713/170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 09:47
L2	7481	(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 09:49
L3	1843	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 09:49
L4	988	(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 09:53
L5	33	JOSHUA HUG.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:00
L6	0	((detect near4 comparison) near4 tampering) (integrity near2 hash)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:00
L7	1	((detect near4 tampering) (integrity near2 hash)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:01
L8	1	((clear near2 form) near2 rights) (detect near2 tampering)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:01
L9	0	((clear near2 form) near2 rights) (internal near2 (integrity near2 hash))). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:02
L10	0	((clear near2 form) near2 rights) (external near2 (integrity near2 hash))). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:02
L11	0	((inaccessible near2 device) near2 key) (external near2 (integrity near2 hash))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:02

L12	1	((((inaccessible near2 device) near2 key) (integrity near2 hash)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:02
L13	1	((device near2 key) (integrity near2 hash)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/01/12 10:03
S1379	62	"rights information" "hash" "encryption" "tamper resistant" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 09:50
S1380	62	"rights information" "hash" "encryption" "tamper resistant" "content" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/03 00:20
S1381	3	"rights" "integrity hash" "encryption" "tamper" "content" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/28 13:54
S1394	0	"rights information" "hash" "encryption" "tamper resistant" "content" "HMAC" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/03 00:21
S1395	0	"rights information" "encryption" "tamper resistant" "content" "HMAC" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/03 00:21
S1396	36	"rights information" "encryption" "tamper resistant" "content" "disable" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/03 00:21
S1397	975	(713/170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 11:20
S1398	3132	(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 10:55
S1399	637	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 11:19
S1400	405	(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 11:19
S1401	285	(713/170)(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 11:20

S1402	10	(713/170)(713/176) (713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 11:20
S1403	1	"key inaccessible" "digital rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 09:50
S1404	1	"store" "key inaccessible" "digital rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 09:50
S1405	57	"store" "clear form" "digital rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 09:51
S1406	79	"store" "clear form" "digital rights management"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 09:51
S1407	1446	(713/170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:18
S1408	4582	(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:19
S1409	1038	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:19
S1410	565	(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:20
S1411	419	(713/170)(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:21
S1412	19	(713/170)(713/176) (713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:21
S1413	72	"rights information" "hash" "encryption" "tamper resistant" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:21
S1414	72	"rights information" "hash" "encryption" "tamper resistant" "content" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:21

S1415	3	"rights" "integrity hash" "encryption" "tamper" "content" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:21
S1416	38	"rights information" "encryption" "tamper resistant" "content" "disable" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:22
S1417	1	"key inaccessible" "digital rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:22
S1418	1	"store" "key inaccessible" "digital rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:22
S1419	58	"store" "clear form" "digital rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:22
S1420	86	"store" "clear form" "digital rights management"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:22
S1421	69	"store" "clear form" "rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:22
S1422	69	store "clear form" "rights management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:23
S1423	58	store "clear form" "digital rights" "management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:23
S1424	57	storage "digital content" "clear form" "digital rights" "management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/20 04:24
S1425	1682	(713/170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:26
S1426	5204	(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:31
S1427	1238	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:32

S1428	668	(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:33
S1429	486	(713/170)(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:34
S1430	24	(713/170)(713/176) (713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:34
S1431	3	(713/170)(713/176) (713/194)(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:35
S1432	58	storage "digital content" "clear form" "digital rights" "management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:35
S1433	60	store "clear form" "digital rights" "management" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:35
S1434	0	("generate hash" near "device key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:42
S1435	0	("generate hash" near4 "device key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:42
S1436	178	("generate hash" near4 "key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:42
S1437	1	("generate hash" near4 "encryption key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:42
S1438	0	("generate hash" near4 "device key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:42
S1439	14	("generate hash" near4 "public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:42
S1440	0	("generate hash" near4 "hash and key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:43

S1441	0	("generate" near4 "hash and key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:43
S1442	0	("generate" near4 "hash and device key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:43
S1443	0	("generate" near4 "hash and encryption key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:43
S1444	0	("generate" near4 "hash and cryptographic key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:43
S1445	0	("generate" near4 "hash plus cryptographic key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:43
S1446	0	("generate" near4 "hash and public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:44
S1447	0	("compute" near4 "hash and public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:44
S1448	0	("create" near4 "hash and public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:44
S1449	0	("generate hash" "from a hash" "public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:44
S1450	0	("generate a hash" "from a hash" "public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:44
S1451	0	("generate a hash" "from a hash" "encryption key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:45
S1452	0	("generate a hash" ("hash" near2 "encryption key")) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:45
S1453	120	("generate" "hash" ("hash" near2 "encryption key")) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:45

S1454	0	"hash and key" "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:45
S1455	0	"hash and key" "calculate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:45
S1456	0	"hash and key" "generate" "hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:45
S1457	231	("hash" near "key") "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:46
S1458	2	(combine near2 (hash near2 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:46
S1459	5	(combine near3 (hash near3 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:46
S1460	6	(combine near4 (hash near4 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:46
S1461	7	(combine near5 (hash near5 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:46
S1462	7	(combine near5 (hash near5 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:46
S1463	6	(combine near4 (hash near4 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/03 18:47
S1464	1946	(713/170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 21:52
S1465	5881	(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 21:55
S1466	1429	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 21:56

S1467	774	(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:15
S1468	562	(713/170)(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:16
S1469	32	(713/170)(713/176) (713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:16
S1470	6	(combine near4 (hash near4 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:16
S1471	7	(combine near5 (hash near5 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:16
S1472	7	(combine near5 (hash near5 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:17
S1473	6	(combine near4 (hash near4 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:17
S1474	5	(combine near3 (hash near3 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:17
S1475	2	(combine near2 (hash near2 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:17
S1476	236	("hash" near "key") "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:17
S1477	123	("generate" "hash" ("hash" near2 "encryption key")) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:18
S1478	14	("generate hash" near4 "public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/18 22:18
S1479	2145	(713/170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:21

S1480	6383	(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:21
S1481	1546	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:22
S1482	834	(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:23
S1483	619	(713/170)(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:23
S1484	37	(713/170)(713/176) (713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:24
S1485	14	("generate hash" near4 "public key") @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:24
S1486	125	("generate" "hash" ("hash" near2 "encryption key")) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:24
S1487	238	("hash" near "key") "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:24
S1488	2	(combine near2 (hash near2 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:25
S1489	6	(combine near3 (hash near3 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:25
S1490	7	(combine near4 (hash near4 key)) "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:25
S1491	238	("hash" near "key") "generate hash" @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 18:25
S1492	2564	(713/170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 05:38

S1493	7389	(713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 05:40
S1494	734	(713/170) (713/176)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:20
S1495	1822	(713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:20
S1496	42	(713/170)(713/176) (713/194)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:21
S1497	980	(380/282)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:21
S1498	75	(713/170) (rights near2 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:21
S1499	465	(713/176) (rights near2 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:22
S1500	103	(713/194) (rights near2 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:22
S1501	53	(380/282) (rights near2 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:22
S1502	682	(hash near2 key) (generate near2 hash) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:23
S1503	23	(hash near2 key) (generate near2 hash) (rights near2 information) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:23
S1504	11	(combine near4 (hash near4 key)) (generate near2 hash) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:24
S1505	15	(combine near4 (hash near4 key)) (generate with hash) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:24

S1506	15	(combine near4 (hash near4 key)) (generate with (hash OR digest)) @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:24
S1507	0	(rights near2 information) hash encrypt\$ (tamper near2 resistant) content HMAC @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:25
S1508	59	(rights with information) hash encrypt\$ (tamper near2 resistant) content HMAC @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:25
S1509	3	(rights near6 information) hash encrypt\$ (tamper near2 resistant) content HMAC @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:26
S1510	94	storage (digital near2 content) (clear near2 form) (digital near2 rights) management @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/12/17 07:26

1/12/2011 10:04:17 AM

C:\Documents and Settings\cjohnson7\My Documents\EAST\Workspaces\applications\10719674 1-2-2007.wsp